



Comprehensive treatment Full Mouth Rehabilitation case

PRESENTED BY: ORJWAN MADI ROLL NUMBER:986

THIS WORK WAS ACHIEVED BY THE STUDENT: ORJWAN UNDER THE SUPERVISION OF DENTAL TEACHING STAFF AT LIBYAN

INTERNATIONAL MEDICAL UNIVERSITY:

- Dr. Rafeeq M. Al Kuafi
- Dr. Abdelmonem Abdelnabi
- Dr. Ali Busnaina
- Dr. Khadige Alfallah
- Dr. Amal Alawami
- Dr. Noha Alkadiky
- Dr. Anas Alharati
- Dr. Malek Abdelmatiolbe
- Dr. Marwa Elsharksi
- Dr. Randa ElHasi
- Dr . Manal Bazina
- Dr. Asma Ben Hareiz



PERSONAL DATA

*Name : D.M.B *birth date : 1973 /10/5 *Gender: Female *Nationally : Libyan *Occupation : Technical analysis *adders : Alberka



CHIEF COMPLAINT & HISTORY OF CHIEF COMPLINE

* C.C :

Patient came to LIMU clinic want to replace her missing teeth

*H.C:

The teeth was missed by extraction due to carious with out history of replacement patient now want to replaces due to function and esthetic reason. Medical history : N.O.S **Drug history : N.O.S** Allergic history : N.O.S Family history : her mother D.M typell and hypertension Social history : married have 4 children not smoker, alcoholic or drug abuser. P.t is on balanced diet and drinking about 6 to 8 cups of water.

DENTAL HISTORY

*Dental history:

extraction have been done at 2012

- *History of dental treatment Exo, Endo, filling&scaling.
- ***Oral hygiene practice :**
- *Brushing : irregularly
- *Brushing method : medium tooth brush horizontal
- *Kind of Dentifrice used : not specific
- *any other orophysiotherapeutic Aids :nothing


EXTRA-ORAL EXAMINATIONS

TMJ Status : examination reveals no finding Facial :symmetry Lymph nod :not palpable

ORAL HYGIENE INDEX


16	11	26
1	0	3
1	1	3
46	31	36

Plaque index:1.5



16	11	26
0	0	3
1	3	1
46	31	36

Calculus index: 1.3



Fair (2.8)

INTRA ORAL PHOTO




Oral mucosa :normal except partial tongue tie





DENTAL CHART



shutterstock.com • 401714056

X :missing4 ★ :decay6

F: fracture1

RR: remaining root1



UPPER AND LOWER ARCH



PERIODONTAL HEALTH



The gingiva is reddish pink in color, with altered scalloped rounded margin and blunt IDP. Pocket depth was within normal range for all aspects. There -is bleeding on probing related to upper and lower anterior and posterior teeth.

There is no mobility . There is a recession relater lower left central incisor & second premolar.

Diagnosis:

Localized mild chronic periodontitis.



ORTHPANTOMOGRAPH



Radiographic show: -Localized Mild horizontal bone loss in Lower anterior teeth. -Calculus also lower anterior teeth -missing teeth -Endodontic treated teeth -Restored teeth The patient is unidirectional group function occlusion The incisor relationship : class I Class III according to Kennedy classification

FINAL DIAGNOSIS

1-localized mild chronic periodontitis


Chronic perapical periodontitis

3-missing teeth



*Emergency phase : not indicated for emegency *Phase I : O.H instruction , scaling and root planning Diet sheet and pit& fissure sealant


* Phase II : extraction lower left 8 crown lengthening lower left4



PHASE I THERAPY



DIET SHEET




PIT AND FISSURE SEALANT



PHASE II THERAPY




extraction






CROWN LENGTHENING









After 1 week




PHASE II (RESTORATION)







ENDODONTIC TREATMENT




ENDODONTIC RETREATMENT




ENDODONTIC RETREATMENT



IMPRESSION























Retraction cord





FINAL IMPARTATION























TRIAL CEMENTATION












FINAL CEMENTATION


















Custom made post













TRY IN














INSERTION















BUILD UP COMPOSITE FOR



UPPER REMOVABLE PARTIAL -









AFTER TREATMENT







